

AFORIKA

Palmex brand new synthetic thatch roof with the design of the traditional African style roofing






MATERIAL

- High density polyethylene (HDPE)
- Thermo-molded
- Built-in UV treated
- Available in two colours
- Fire-retardant versions available Class C & A/M1
- Made in Canada

DIMENSIONS

- 100 cm x 45 cm / 39" x 18"
- Thickness: 0.7 mm / 0.029"
- Weight: 300 gr/leaf / 0,67 lbs/leaf

Dijon



AFORIKA Spec sheet



CERTIFICATIONS

- 20-year warranty
- 100% waterproof
- Wind resistant: ASTM D3161260 km/h / 160 mph
- UV-resistant: ASTM G26
- Fire-retardant certified: ASTM E108
 Class A/M1 & C
- ISO 9001
- Vertima-certified to contribute to LEED credits
- 100% recyclable

100 cm / 39"



45 cm 18"

INSTALLATION

- To be laid on wood panels, metal sheeting or various shingles
- Installation on horizontal battens that are fixed to the roof rafters (leaves visible from underneath the roof)
- Installation directly on the roof rafters with Palmex railing system (leaves visible from underneath the roof)

Additional rows of leaves can be fixed at the first row to create thickness at the bottom of the roof.

See installation instructions for more details.

PACKAGING

- Bundles of 72 leaves
- 100 cm L x 51 cm l x 13 cm H x 22 kg
 39" L x 20" W x 5" H x 49 lbs
- 9 sqm / 97 sq. ft. coverage for one bundle (installation 1 & 2)
- 8 sqm / 86 sq. ft. coverage for one bundle (installation 3)

www.palmex-europe.com

